WallUpp

Focus on polyurethane decorative building materials



Foshan Homedm advanced Material Co., Ltd.
Address : No. 23, Tangyuan East Third Street, Chancheng District, Foshan City
Contact nummber : +86 18675738611
Contact: tom tang

CONTENTS

Part 01
PU Component Series

Part 02
Culture stone series

Part 03
PU Stone Series

Part 04
PU Stone Big Series

Part 05
FPC Series

Part 06
Installation process



PU Component Series

Material : polyurethane

Color: 9-12 colors aailable

Application : partition wall / door head / background wall


waterproofing


Lightweight


Antifreeze


fire protection


multicoloured


easy installation


robustness


easy care

/ PU hollow component rectangle

Thickness: single-sided 38MM/double-sided 76MM

Specification:1200*600MM





White Marble



Victoria White



Chucheng Orange



Rammed earth yellow



Golden Flax



Mineral ash



Cement Grey



Space Black



Chinese Red



Clear water grey



Dark Black



Dark gray



/ PU hollow component circular

Thickness: single-sided 38MM/double-sided 76MM

Specification:1200*600MM

 Bai Lan Jade	 Chinese Red	 White Marble
 Matte black	 Bright black	 Snow White
 Rammed earth yellow	 Volcanic ash	 Cement Grey

/ PU hollow component square

Thickness: single-sided 30MM/double-sided 60MM

Specification:1200*600MM





White Marble



Victoria White



Chucheng Orange



Rammed earth yellow



Golden Flax



Mineral ash



Cement Grey



Space Black



Chinese Red



Clear water grey



Dark Black



Dark gray



/ PU hollow component brick

Thickness: single-sided 30MM/double-sided 60MM

Specification:1200*600MM

 Rammed earth yellow	 Cement Grey	 Matte black
 Bai Lan Jade	 Bright black	 Chinese Red
 White Marble	 Volcanic ash	 Snow White



/ PU Solid 9 Block component

Thickness: single-sided 35MM/double-sided 70MM

Specification:1200*600MM


Rammed earth yellow


Cement Grey


Matte black


Bai Lan Jade


Bright black


Chinese Red


White Marble


Volcanic ash


Snow White

PU hollow component bevel shape

30MM 60MM

Thickness: single-sided 30MM/double-sided 60MM

1200*600MM

Specification:1200*600MM





Rammed earth yellow



Cement Grey



Matte black



Bai Lan Jade



Bright black



Chinese Red



White Marble



Volcanic ash



Snow White



Brick red



/ PU rotary component

40MM 80MM

Thickness: single-sided 40MM/double-sided 80MM

1200*600MM

Specification:1200*600MM



Snow White



White Marble



Bai Lan Jade



Cement Grey



Matte black



Volcanic ash



Chinese Red



Rammed earth yellow



Bright black



PU triumphal arch component

30MM 60MM

Thickness: single-sided 30MM/double-sided 60MM

1200*600MM

Specification:1200*600MM


Snow White


White Marble


Bai Lan Jade


Cement Grey


Volcanic ash


Bright black


Matte black


Rammed earth yellow


Chinese Red

PU Nine Palace Grid Pyramid Components

30MM

Thickness: single-sided 30MM

1200*600MM

Specification:1200*600MM


Snow White


White Marble


Bai Lan Jade


Cement Grey


Volcanic ash


Matte black


Bright black


Rammed earth yellow


Chinese Red

PU Nine-paned Window component

30MM

Thickness: single-sided 30MM

1200*600MM

Specification:1200*600MM

Snow White


White Marble


Bai Lan Jade


Cement Grey


Volcanic ash


Matte black


Bright black


Rammed earth yellow


Chinese Red

/ PU Nine Palace Grid Clock Component

30MM

Thickness: single-sided 30MM

1200*600MM

Specification:1200*600MM


Snow White


White Marble


Bai Lan Jade


Cement Grey


Volcanic ash


Matte black


Bright black


Rammed earth yellow


Chinese Red

PU Nine Palace Grid Bread Brick Components

30MM

Thickness: single-sided 30MM

1200*600MM

Specification:1200*600MM


Snow White


White Marble


Bai Lan Jade


Cement Grey


Volcanic ash


Matte black


Bright black


Rammed earth yellow


Chinese Red

/ PU u style brick component

30MM

Thickness: single-sided 30MM

1200*600MM

Specification:1200*600MM


Snow White


White Marble


Clear water grey


Volcanic ash


Cement Grey


Matte black


Bright black


Golden Flax


Earthy yellow

/ PU small round plate assembly

30MM

Thickness: single-sided 30MM

1200*600MM

Specification:1200*600MM


Snow White


White Marble


Clear water grey


Volcanic ash


Cement Grey


Matte black


Bright black


Golden Flax


Earthy yellow

/ PU Future Stone Component

30MM

Thickness: single-sided 30MM

1200*600MM

Specification:1200*600MM

Snow White



White Marble



Clear water grey



Volcanic ash



Cement Grey



Matte black



Bright black



Golden Flax



Earthy yellow

/ PU Feather Stone

10-30MM

Thickness: single-sided 10-30MM

900*200MM

Specification:900*200MM



Snow White



White Marble



Clear water grey



Volcanic ash



Cement Grey



Matte black



Bright black



Rammed earth yellow



Chinese Red





PU Culture Stone Series

Material : polyurethane

Application : partition wall / doorhead / background wall

INSPIRATION SOURCE

INTERESTING STONES

THE STONE ITSELF HAS IS OWN NATURAL TEXTURE
OF FORM,EXQUISITE,
OR ROCK PATTERN,COLOUR AND BEAUTY.

/ PU Cultural Stone

Size: 1160* 300*25MM



Victoria White



Goya Red



Signal gray



Chucheng Orange



Ancient blue gray



Dark brown red



Han jade jade



Spotted dove grey



Dark brown red





/ PU Strip Rock

Size: 1160* 300*30MM



Victoria White



Nine golden yellow



Shallow pupil coffee



Roman black



Signal gray





/ PU Stone Rock

Size: 1160* 300*30MM





Victoria White



Sahara yellow



Deep navy blue



Roman black



Morandi

/ PU Wood Grain Stone

Size: 1160* 300*25MM





Victoria White



Sahara yellow



Signal gray



Roman black

/ PU Little Rocks

Size: 1160* 300*30MM



Victoria White



Roman black



Deep navy blue



Nine golden yellow



Platinum gray black

/ PU Rust Stone

Size: 1160* 300*30MM



Victoria White



Nine golden yellow



Roman black



Sahara yellow

/ PU Die Luan stone

Size: 1160*300*30MM



Victoria White



Spotted dove grey



Oni Grey



Sahara yellow



Roman black



Goya Red



Waxy white gray



Zhangdan coffee color



Oni Brown

/ PU Sea rotten wood

size：1160*300*25mm





/Victoria White



/Antique Orange



/Antique Brown



/Antique Black

PU Annual ring wood

size：1160*300*25mm





Victoria White



Antique Orange



Antique Brown



Antique Black

PU Flowstone

size：1160*300*30mm





Victoria White



Roman black



Sahara yellow



Signal gray

/ PU Ancient tiles

size：1210*180*30mm





Cement grey



Roman black



Ink gray black



Dark gray

PU Ancient tiles



PU Stone Series







Self-developed coating

The outermost layer of self-developed coating, with waterproof and flame retardant function.

Water-based paint layer

All-water foam water-based paint environmental protection, formaldehyde-free, odorless fade resistance, wear resistance, weathering.



Polyurethane main material raw material

The new material of decoration class is also called polymer material, scientific name polyurethane, is a new decorative material, oil resistance, wear resistance,low temperature resistance, aging resistance,high hardness, can do the shape and color of natural stone.

PU Stone Skin

Size: 1200*600MM

Thickness: 10-50MM



Snow White



Volcanic ash



Cement Grey



Matte black



Bright black



Golden Flax



White Marble



Clear water grey



PU Mushroom Stone

Size: 1200*600MM/600*600MM

Thickness: 20-100MM



Snow White



Volcanic ash



Cement Grey



Matte black



Bright black



Golden Flax



White Marble



Clear water grey



PU Mountain Rock

Size: 1200*600MM

Thickness: 20-100MM





Granite gray



Volcanic ash



Coffee Brown



Ore ash



Bright black



Light gray

PU Mountain Rock

Size: 1200*600MM

Thickness: 20-100MM





Clear water grey



Dark gray



Cement Grey



Modern gray



Snow White



Matte black

/ PU Shale slate

Size: 1200*600MM

Thickness: 35MM





Chucheng Orange



White Marble



Rammed earth yellow



Golden Flax



Mineral ash



Clear water grey

PU Shale slate

Size: 1200*600MM

Thickness: 35MM





Dark Black



Dark gray



Cement Grey



Space Black



Victoria White



Chinese Red

PU Dragon Rock

Size: 1200*600MM

Thickness: 40MM





Snow White



Light gray



Granite gray



Volcanic ash



Coffee Brown



Mineral ash

PU Dragon Rock

Size: 1200*600MM

Thickness: 40MM





Matte black



Bright black



Dark gray



Clear water grey



Modern gray



Cement Grey

PU Moon Rock

Size: 1200*600MM

Thickness: 20-60MM





Snow White



Light gray



Dark gray



Brown



Matte black

PU Columnar stone

Size: 1200*500MM

Thickness: 100MM





Snow White



Yellow brown



Dark gray



Bright black

/ PU wave stone

Size: 1200*600MM

Thickness: 30MM





















PU Travertine

Size: 1200*600MM

Thickness: 15MM



Snow White

Cream yellow

Clear water grey

Cement Grey

Volcanic ash

Light black

Bright black

Golden Flax

Chinese Red

/ PU Venation stone

Size: 1200*570MM

Thickness: 25MM





Chucheng Orange



White Marble



Rammed earth yellow



Golden Flax



Mineral ash



Clear water grey

/ PU Venation stone

Size: 1200*570MM

Thickness: 25MM





Dark Black



Dark gray



Cement Grey



Space Black



Victoria Whit



Chinese Red

/ PU Cement board

Size: 1200*600MM

Thickness: 20MM



Dark Black



Golden Flax



Coffee Brown



Light Black



Light gray



Light gray2



Clear water grey



Dark gray



Dark gray2



Cement Grey



Modern gray



Snow White

/ PU Cement board

Size: 1200*600MM

Thickness: 20MM





PU Stone Big Series



/ PU Lianwen Mountain Rock

Size: 2400*600MM

Thickness: 100MM





/ PU Stone skin medium plate

Size: 2400*600MM

Thickness: 50MM





/ PU Lianwen Stone skin

Size: 2400*600MM

Thickness: 50MM





/ PU Stone skin natural surface

Size: 2400*600MM

Thickness: 10-20MM





/PU Lianwen Stone skin

Size: 2400*600MM

Thickness: 70MM





/PU Small gravel

Size: 2400*600MM

Thickness: 20-40MM





/Stone skin large slab

Size: 3000*750MM

Thickness: 100MM





/Stone skin large slab

Size: 3000*750MM

Thickness: 100MM





PU Basalt

Size: 3000*1200MM

Thickness: 120MM





PU Granite

Size: 3000*1200MM

Thickness: 30MM





PU Star Moon Stone

Size: 3000*750MM

Thickness:30MM





PU Moon Rock

Size: 600MM/800MM/1000MM/1200MM/1500MM/2000MM











F P C Series

Features : light weight, energy saving up to 80%,strong flexibility, good air permeability, heat insulation, sound insulation, convenient construction, etc.



Natural texture, natural

3D texture to restore nature

Aesthetics and Quality

- No deformation
- Gluabie and nailable
- Soundproof and quiet
- Thermal insulation
- No cracking
- Environment protection
- Arbitrary cutting
- Waterproof and moisture-proof

F P C

FPC City wall stone



aple RedHot



Bright Yellow



Skylark Gray







Four styles of patchwork

Size: 1500*750*50mm





two styles of patchwork

Size: 300*750*50mm

FPC Maya stone



Maple RedHot



Denim Blue



Bright Yellow











Four styles of patchwork

Size: 1500*750*50mm

two styles of patchwork

Size: 300*750*50mm

FPC crushed mountain rock



Denim Blue



Skylark Gray



Bright Yellow







Four styles of patchwork

Size: 1500*750*50mm





two styles of patchwork

Size: 300*750*50mm



Maple Red



Skylark Gray



Bright Yellow





Front



Back

Size: 1500*750*60mm

FPC Tortoise stone



Maple RedHot



Skylark Gray



Denim Blue







Four styles of patchwork

Size: 1600*870*40mm



Size: 400*870*40mm



Skylark Gray



Bright Yellow



Maple RedHot









Four styles of patchwork

Size: 2000*1000*38mm

Size: 650*1000*38mm

FPC cobblestone



rapefruit Red



Bright Yellow



Mountain Stream Green



Great Wall Grey









Four styles of patchwork

Size: 1600*870*80mm

Size: 400*870*80mm



Red Sandstone



Golden Flax



Magma Red



Customize



Cement Grey



Volcano Grey









Can choose a variety of colors arbitrary stitching

Size: 1985*985*70mm





Pine Flower Yellow



Chrysanthemum Color



Cement Grey

HOMEDAY



Front



Back



/Three in one effect

Size: 1985*985*50mm





Bright Yellow



Sandalwood Brown



/Skylark Gray



Front



Back



/Four styles

Size：2000*1000*35mm



Corner

Colours: five available

Size: 250*250*2000mm





/Elm
size: 2000*100*100mm



/Arbor Grey
size: 2000*200*100mm



Black Walnut
size: 2000*300*100mm



/Red Sandalwood
size: 2000*150*100mm



Saffron Pear
size: 2000*250*100mm

/Preparation tools



Nail guns and nails



Leveler



Pencils



Circular saw



Structural adhesive



Glue gun



Gloves

/PU Installation



1.Draw horizontal lines



2.Measuring and Cutting



3.Glueing



4.Butt Splice



5.Reinforced with gun nails



6.Caulking, repairing, cleaning



7.Use of prefabricated corner

Method 1:

1.Dimension measurement

2.Leveling

3.Fixed with structural adhesive and air nail gun

Method 2:

1.Dimension measurement

2.Leveling

3.Fix with lock screws

/ FPC Installation steps



1 Prepare installation tools



2 Clean up wall debris and dust



3 Use a tape measure to determine the position



4 Positioning



5 Install the corner first, apply the right amount of special adhesive



6 The glue dries before the nail gun can be used to fix



7 Apply proper amount of special glue on the back of the product



8 Install flat products along the positioning line and use a nail gun to fix them before the glue dries



9 Repeat the previous steps to install the product, paying attention to the product fit



10 Measure the remaining wall size at the top, cut and sand the product according to the size, pay attention to keep the product cutting size consistent







11 Finally install the top product



12 Cut and sand products to fill gaps according to the remaining condition of the wall







13 Installation completed,clean the product surface dust

